Product Name: RECOVER MSDS ID Number: D-06478

MSDS Date: 01/20/2009

| SECTION 1 - CHEMICAL PRODUC | CT AND COMPANY IDENTIFICATION |
|-----------------------------|--|
| Product Name: | RECOVER |
| MSDS Number: | D-06478 |
| Cancelled MSDS Number: | D-06276 |
| MSDS Date: | 01/20/2009 |
| Chemical Family Name: | Aqueous Solution of Hydroxycarboxylic Acid Salts and |
| - | Compound Carbohydrates |
| Product Use: | Stabilization of Cement Hydration |

Mixture-NA

Mixture-NA

Product Use: Chemical Formula: CAS # (Chemical Abstracts Service Number):

Manufactured by:

W.R.Grace & Co.-Conn. 62 Whittemore Avenue Cambridge, MA 02140 Grace Canada, Inc. 294 Clements Road West Ajax, Ontario L1S 3C6

In Case of Emergency Call:

In USA: (617) 876-1400 In Canada: (905) 683-8561

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredient | CAS# | Percent (max) |
|---|------|---------------|
| See MSDS section 16 for nonhazardous ingredient disclosure. | | |

SECTION 3 - HAZARDS IDENTIFICATION

Emergency Overview:

Caution! Causes eye irritation. Causes skin irritation. May be harmful if ingested.

HMIS Rating:

| Health: | 1 |
|--------------------------------|-------------------|
| Flammability: | 1 |
| Reactivity: | 0 |
| Personal Protective Equipment: | B (See Section 8) |

Potential Health Effects:

Inhalation: Acute inhalation not expected to result in adverse effects.

Prolonged inhalation may cause respiratory tract irritation.

Effects include: Tightness of chest, hypersensitive individuals may experience allergic respiratory reaction and wheezing.

Eye Contact: Eye contact causes irritation.

Skin Contact: Skin contact causes irritation.

Prolonged skin contact can result in irritation causing redness and itching.

May cause sensitization.

Hypersensitive individuals may develop an allergic reaction resulting in dermatitis, rash or hives.

Skin Absorption: Not expected to be harmful if absorbed through the skin.

Ingestion: Harmful if ingested.

Effects include: Nausea, vomiting and digestive tract irritation.

SECTION 4 - FIRST AID MEASURES:

Skin Contact: Wash with soap and water.

If discomfort or irritation persists, consult a physician.

Remove contaminated clothing and wash before reuse.

Eye Contact: Flush eyes with water for at least 15 minutes while holding eyelids open.

If discomfort or irritation persists, consult a physician.

Product Name: RECOVER MSDS ID Number: D-06478

MSDS Date: 01/20/2009

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. If discomfort or irritation persists, consult a physician. **Inhalation:** If symptoms develop, get fresh air. If symptoms persist, consult a physician. If breathing has stopped, give artificial respiration then oxygen if needed.

SECTION 5 - FIRE AND EXPLOSION HAZARD DATA

| Flash Point: | >93°C/200°F |
|----------------------------|--------------------|
| Flash Point Method: | N/A-Aqueous System |
| Lower Explosion Limit: | Not Available |
| Upper Explosion Limit: | Not Available |
| Auto-Ignition Temperature: | Not Available |
| NFPA Rating: | |
| Health: | 1 |
| Flammability: | 1 |
| Reactivity: | 0 |

Extinguishing Media: In case of fire, use water spray, dry chemical, Carbon dioxide or foam. **Special Fire Fighting Procedures:** Wear self-contained breathing apparatus and complete personal protective equipment when potential for exposure to vapors or products of combustion exist. Water may be used to cool containers to prevent pressure build-up and possible auto-ignition or explosion. Avoid breathing hazardous vapors or products of combustion, keep upwind. Isolate area and keep unnecessary people away. Prevent run-off from fire control or dilution from entering streams or drinking water supplies.

No special procedures specific to this product.

Unusual Fire and Explosion Hazards: None.

SECTION 6 - ACCIDENTAL RELEASE MEASURES:

Spills/Leaks: Use proper personal protective equipment. Do not flush to sewer or allow to enter waterways. Keep unnecessary people away.

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container. For large spills, dike area and pump waste material into closed containers for disposal or reclamation.

SECTION 7 - HANDLING AND STORAGE

Precautionary Measures: Avoid contact with eyes, skin and clothing.

Do not take internally.

Practice good personal hygiene to avoid ingestion.

Use only with adequate ventilation.

Wash clothing before reuse.

Keep away from heat, sparks and flame.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTIVE EQUIPMENT

EXPOSURE GUIDELINES (US)

| Ingredient | | ACGIH T | LV | | | | OSHA PEL |
|------------|-----|---------|---------|-----|------|---------|--|
| | TWA | STEL | Ceiling | TWA | STEL | Ceiling | Substance Specific and Mineral Dust PELs |
| | | | | | | | |

EXPOSURE GUIDELINES (CANADA)

Employers should consult local Provincial regulatory limits for exposure guidelines which may vary locally.

Engineering Controls: Not generally required.

Personal Protective Equipment:

Respiratory Protection: Respiratory protection is not normally required. However, a chemical cartridge respirator with organic vapor cartridge and a prefilter for dusts/mists is required at or above the applicable exposure limits (Consult above Exposure Guidelines). If no limits exist, use an approved respirator whenever a vapor or mist is generated or if respiratory irritation occurs. Supplied air respirator (SCBA) is required at exposure levels above the capabilities of a chemical cartridge respirator.

Product Name: RECOVER MSDS ID Number: D-06478

MSDS Date: 01/20/2009

Skin Protection: Rubber or other impervious gloves should be worn to prevent skin contact. **Eye Protection:** At minimum, safety glasses with side shields should be worn where exposure to excessive dust or spray is likely. **Work/Hygionic Practices**: Use good personal bygione practices

Work/Hygienic Practices: Use good personal hygiene practices. None beyond those noted above.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

| Physical State: | Liquid |
|--|--|
| Appearance/Odor: | Clear green liquid with a slight ammoniacal odor |
| Odor Threshold: (ppm) | None Established |
| pH: | 5 - 8 |
| Vapor Pressure: (Mm Hg) | ~ = Water |
| Vapor Density: (Air = 1) | ~ = Water |
| Solubility In Water: | Complete |
| Specific Gravity: (Water = 1) | 1.1 - 1.2 |
| Evaporation Rate: (Butyl Acetate = 1) | Not Applicable |
| Boiling Point: | >100°C/212°F |
| Viscosity: | Unknown |
| Bulk Density: (Pounds/Cubic Foot)(Pcf) | Not Applicable |
| % Volatiles (gr/L): (70°F)(21°C) | ~80% (As Water) |
| SECTION 10 - STABILITY AND REACTIVITY | |
| | |

Chemical Stability: Conditions To Avoid: Hazardous Polymerization: Hazardous Decomposition Products:

Stable None known for this product. Will not polymerize. None known for this product.

SECTION 11 - TOXICOLOGICAL INFORMATION

| Ingredient(No data unless listed.) | CAS | <u>S Number</u> | <u>LD50</u> a | nd LC50 | | | |
|--|-----------------|------------------|------------------|--------------|----------------|------|--|
| Carcinogenicity: | | | | | | | |
| Ingredient | IARC Group 1 | IARC Group 2A | IARC Group 2B | NTP Known | NTP Suspect | OSHA | |
| Mutagenicity: | N | ot applicable |). | | | | |
| Teratogenicity: | | | | | | | |
| Reproductive Toxicity: | N | ot applicable |) . | | | | |
| SECTION 12 - ECOLOGICAL INFORM | MATION | | | | | | |
| Environmental Fate: | No | o data availa | able for prod | uct. | | | |
| Ecotoxicity: | No | o data availa | able for prod | uct. | | | |
| SECTION 13 - DISPOSAL CONSIDER | RATIONS | | | | | | |
| waste of this product is not def regulations. SECTION 14 - TRANSPORTATION IN | | | | | | F F | |
| Proper Shipping Name: | | ot Applicable | 9 | | | | |
| UN/NA Number: | | ot Applicable | | | | | |
| Domestic Hazard Class: | | onhazardou | | | | | |
| Surface Freight Classificatio | | | pound, N.O. | I.B.N. Liqu | id. | | |
| Label/Placard Required: | No | ot Applicable | e | | | | |
| SECTION 15 - REGULATORY INFOR | MATION | | | | | | |
| REGULATORY CHEMICAL LISTS: | | | | | | | |
| CERCLA (Comprehensive Response | Compensa | ation and Li | ability Act): | | | | |
| (None present unless listed below) | | | | - | | | |
| | | | | | | | |

| MSDS Date: 01/20/2009 <u># Wt % CERCLA RQ</u> thorization Act) | |
|--|--|
| # <u>Wt %</u> <u>CERCLA RQ</u> | |
| | |
| thorization Act) | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | PQ |
| elow reporting threshold are exempt): | |
| <u>CAS # Wt %</u> | |
| | |
| | |
| andards For Architectural Coatings: | |
| | |
| D2 B | |
| the hazard criteria of the Controlled Products | |
| rmation required by the CPR. | |
| | |
| duct does not contain substances known to the s | tate o |
| ancer, birth defects or other reproductive harm. | |
| ication threshold 0.0001%(1ppm)): | |
| CAS # Wt % | |
| 000556-61-6 .0004 | |
| ion threshold (0.1%)): | |
| | |
| | |
| | |
| | |
| from lighting in the following countries: | |
| | |
| | |
| No Yes Yes | |
| | |
| | |
| | |
| CAS Number | |
| <u>CAS Number</u> 007732-18-5 | |
| 007732-18-5 000527-07-1 | |
| 007732-18-5 000527-07-1 000057-50-1 | |
| 007732-18-5 000527-07-1 000057-50-1 epartment | |
| 007732-18-5 000527-07-1 000057-50-1 | |
| | 000556-61-6 .0004 e 000533-74-4 .04 andards For Architectural Coatings: D2 B he hazard criteria of the Controlled Products mation required by the CPR. duct does not contain substances known to the stancer, birth defects or other reproductive harm. ication threshold 0.0001%(1ppm)): CAS # Wt % 000556-61-6 ion threshold (0.1%)): CAS # Wt % ation threshold 0.01%): CAS # Wt % ation threshold 0.01%): CAS # Wt % ation threshold 0.01%): CAS # Wt % from listing in the following countries: RALIA JAPAN KOREA PHILIPPINES |

"The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection."